



COMMUNITIES IN CHARGE

ELIGIBLE EQUIPMENT CATALOG

Updated: April 2026





Eligible Equipment Catalog

General

This document was prepared as a result of work funded through the California Energy Commission. It does not necessarily represent the view of the Energy Commission, its employees, or the State of California.

Communities in Charge Staff and the California Energy Commission do not endorse or express preferential interest in the equipment listed below. The following chargers meet requirements needed for the Communities in Charge project. If you are interested in having your EVSE featured on this list please visit the [Technology Eligibility Section](#).

Eligible Equipment

- **Autel US Inc.**
 - **Autel – MaxiCharger Single Charger (Digital Display Version)**
 - 1 connector
 - 12 kW
 - Certified for public use
 - [Autel | MaxiCharger Single Charger \(Digital Display Version\)](#)

 - **Autel – MaxiCharger Single Charger (LCD Version)**
 - 1 connector
 - 12 kW
 - Certified for public use
 - [Autel | MaxiCharger Single Charger \(LCD Version\)](#)

 - **Autel MaxiCharger AC Pro**
 - 1 connector
 - 19.2 kW
 - Certified for public use



Eligible Equipment Catalog

➤ [Autel | MaxiCharger AC Pro](#)

- **Autel MaxiCharger AC Ultra**

- 1 or 2 connectors
- 19.2 kW
- Certified for public use

➤ [Autel | MaxiCharger AC Ultra](#)

- **Blink**

- **Blink Series 780**

- 2 connectors
- 19.2 kW
- Certified for public use

➤ [Blink | Series 780](#)

- **Blink Series 880**

- 2 connectors
- 19.2 kW
- Certified for public use

➤ [Blink | Series 880](#)

- **ChargePoint**

- **50A Dual Port, Wall Mount CP6023B-50A**

- 2 connectors
- 12 kW
- Certified for public use



Eligible Equipment Catalog

- [50A Dual Port, Wall Mount | CP6023B-50A](#)

- **50A Single Port, Wall Mount CP6013B-50A**
 - 2 connectors
 - 12 kW
 - Certified for public use
- [50A Single Port, Wall Mount | CP6013B-50A](#)

- **80A Dual Pedestal Mount CP6021B-80A**
 - 2 connectors
 - 19.2 kW
 - Certified for public use
- [80A Dual Pedestal Mount | CP6021B-80A](#)

- **ChargePoint 50A Dual port, pedestal mount**
 - 2 connectors
 - 12 kW
 - Certified for public use
- [ChargePoint 50A | Dual port, pedestal mount](#)

- **ChargePoint 50A Single port**
 - 1 connector
 - 12 kW
 - Certified for public use
- [ChargePoint 50A | Single port](#)



Eligible Equipment Catalog

- **ChargePoint 80A Dual port, wall mount**
 - 2 connectors
 - 19.2 kW
 - Certified for public use
 - [ChargePoint | 80A Dual port, wall mount](#)

- **ChargePoint 80A Single Port**
 - 1 connector
 - 19.2 kW
 - Certified for public use
 - [ChargePoint | 80A Single port](#)

- **ChargePoint 80A Single port, wall mount**
 - 1 connector
 - 19.2 kW
 - Certified for public use
 - [ChargePoint | 80A Single port, wall mount](#)

- **ChargePoint CPF50 Dual Port**
 - 2 connectors
 - 12 kW
 - [ChargePoint | CPF50 Dual Port](#)

- **ChargePoint CPF50 Single Port**



Eligible Equipment Catalog

- 1 connector
- 12 kW
- [ChargePoint | CPF50 Single Port](#)

• Cyberswitching

- **Cyberswitching – CSE1-4G-BL**
 - 1 connector
 - 11.5 kW
 - [Cyberswitching | CSE1-4G-BL](#)
- **Cyberswitching – CSE4-4G-BL**
 - 1 connector
 - 19.2 kW
 - [Cyberswitching | CSE4-4G-BL](#)

• Espen

- **TSEA240V/40AUS-Z**
 - 1 connector
 - 9.6 kW
 - Certified for public use
 - [Espen | TSEA240V/40AUS-Z](#)
- **EVC/A48**
 - 1 connector
 - 11.5 kW



Eligible Equipment Catalog

➤ [Espen | EVC/A48](#)

- **DynaChrg**

- **JNT-EVM002/48AC**

- 1 connector
 - 11.5 kW
 - Certified for public use

- [DynaChrg|48AC](#)

- **JNT-EVM002/80AC**

- 1 connector
 - 19.2 kW
 - Certified for public use

- [DynaChrg| 80AC](#)

- **Ledvance**

- **EVC/48A/LVL2/C2/OR 48A, Wall mount or optional pedestal mount**

- 1 connector
 - 11.5 kW
 - Certified for public use

- [Ledvance|48A, Wi-Fi](#)

- **EVC/48A/LVL2/4G/C2/OR 48A with 4G, Wall mount or optional pedestal mount**

- 1 connector
 - 11.5 kW



Eligible Equipment Catalog

- Certified for public use
 - [Ledvance | 48A, Wi-Fi, 4G](#)

- **EVC/48A/LVL2/4G/C2/OR 48A with 4G, Wall mount or optional pedestal mount**
 - 1 connector
 - 11.5 kW
 - Certified for public use
 - [Ledvance | 48A, Wi-Fi, ISO15118](#)

- **EVC/48A/LVL2/4G/ISO/C2/OR 48A with 4G and ISO15118, Wall mount or optional pedestal mount**
 - 1 connector
 - 11.5 kW
 - Certified for public use
 - [Ledvance | 48A, Wi-Fi, 4G, ISO15118](#)

- **EVC/48A/LVL2/4G/CC/C2/OR 48A with 4G and Tap & Charge, Wall mount or optional pedestal mount**
 - 1 connector
 - 11.5 kW
 - Certified for public use
 - [Ledvance | 48A, Wi-Fi, 4G, Tap & Charge](#)

- **EVC/48A/LVL2/ISO/CC/C2/OR 48A with ISO15118 and Tap & Charge, Wall mount or optional pedestal mount**
 - 1 connector
 - 11.5 kW



Eligible Equipment Catalog

- Certified for public use
 - [Ledvance | 48A, Wi-Fi, ISO15118, Tap & Charge](#)

- **EVC/48A/LVL2/4G/ISO/CC/C2/OR 48A with 4G, ISO15118, and Tap & Charge, Wall mount or optional pedestal mount**
 - 1 connector
 - 11.5 kW
 - Certified for public use
 - [Ledvance | 48A, Wi-Fi, 4G, ISO15118, Tap & Charge](#)

- **EVC/80A/LVL2/C2/OR 80A, Wall mount or optional pedestal mount**
 - 1 connector
 - 19.2 kW
 - Certified for public use
 - [Ledvance | 80A, Wi-Fi Enabled](#)

- **EVC/80A/LVL2/ISO/C2/OR 80A with ISO15118, Wall mount or optional pedestal mount**
 - 1 connector
 - 19.2 kW
 - Certified for public use
 - [Ledvance | 80A, Wi-Fi, ISO15118](#)

- **EVC/80A/LVL2/ISO/CC/C2/OR 80A with ISO15118 and Tap & Charge, Wall mount or optional pedestal mount**
 - 1 connector
 - 19.2 kW
 - Certified for public use



Eligible Equipment Catalog

➤ [Ledvance | 80A, Wi-Fi, ISO15118, Tap & Charge](#)

▪ **EVC/80A/LVL2/4G/C2/OR 80A with 4G, Wall mount or optional pedestal mount**

- 1 connector
- 19.2 kW
- Certified for public use

➤ [Ledvance | 80A, Wi-Fi, 4G](#)

▪ **EVC/80A/LVL2/4G/CC/C2/OR 80A with 4G and Tap & Charge, Wall mount or optional pedestal mount**

- 1 connector
- 19.2 kW
- Certified for public use

➤ [Ledvance | 80A, Wi-Fi, 4G, Tap & Charge](#)

▪ **EVC/80A/LVL2/4G/ISO/C2/OR 80A with 4G and ISO15118, Wall mount or optional pedestal mount**

- 1 connector
- 19.2 kW
- Certified for public use

➤ [Ledvance | 80A, Wi-Fi, 4G, ISO15118](#)

▪ **EVC/80A/LVL2/4G/ISO/CC/C2/OR 80A with 4G, ISO15118, and Tap & Charge, Wall mount or optional pedestal mount**

- 1 connector
- 19.2 kW
- Certified for public use



Eligible Equipment Catalog

➤ [Ledvance | 80A, Wi-Fi, 4G, ISO15118, Tap & Charge](#)

- **Leviton**

- **EV48S-DP**

- 2 connectors
 - 11.5 kW (48A)
 - Certified for public use

➤ [Leviton | EV48S-DP](#)

- **LiteOn**

- **LiteOn IC48A**

- 1 connector
 - 11.5 kW
 - Certified for public use

➤ [LiteOn | IC 48A](#)

- **LiteOn ADV+48A**

- 1 connector
 - 11.5 kW
 - Certified for public use

➤ [LiteOn | ADV+48A](#)

- **Noodoe EV**

- **Noodoe EV AC7LC**

- 1 connector
 - 7.6 Kw



Eligible Equipment Catalog

➤ [Noodoe | AC7LC](#)

- **Zerova**

- **AXLU111001D**

- 1 connector
 - 11.5 kW
 - Certified for public use

➤ [Zerova | AXLU111001D](#)